

Report Key

- ! Consider Diagnosis and Treatment
- ? Consider Further Evaluation
- ⊘ Absent/Minimal Symptoms

Assessment Metrics

- Full SAGE-SR Complete
- 4/4 reliability items correct
- No items skipped
- Duration: 12 min. 56 sec.

SAGE-SR Summary Report

Demographics	Diagnosis to Consider	ICD-10 Code
Client ID: Anonymous	! Other Specified Depressive Disorder	F32.8
Evaluation Date: 4/1/2022	! Attention-Deficit Hyperactivity Disorder, Predominantly Hyperactive/Impulsive Presentation	F90.1
Sex at Birth: Male	! Alcohol Use Disorder (Severe)	F10.20

Disclaimer: The SAGE-SR is a validated self-assessment that is used to identify some common behavioral health problems. **The SAGE-SR is not a substitute for a thorough clinical evaluation. Only a licensed clinician can make an actual diagnosis.** You may be at risk of having one or more of the possible diagnoses listed here; alternatively there may be other conditions causing your symptoms that are not listed here. Regardless of the results of this survey, see a licensed clinician if you have questions or think you might need help. We recommend you print or save this report so that you can discuss it with a health care provider. **IF YOU ARE EXPERIENCING SUICIDAL THOUGHTS OR MAY BE EXPERIENCING A MEDICAL EMERGENCY, CALL 911 OR GO TO THE NEAREST HOSPITAL EMERGENCY DEPARTMENT.**

Endorsed Symptoms by Diagnosis

! Other Specified Depressive Disorder

Depressed affect	Decreased interest in activities
Hopelessness	Physically restless
Difficulty enjoying usual activities	Difficulty concentrating

! Attention-Deficit Hyperactivity Disorder

Easily distracted	Continuously walks or moves
Forgot to do things	Moved around while working on tasks
Difficulty sitting still	Behaviors in two or more settings
Interrupted others	Behaviors before age 12
Difficulty waiting in line	Behaviors impaired functioning
Difficulty paying attention	Behaviors occurred while drug-free
Physically restless	

! Alcohol Use Disorder

Drank 30 of past 30 days	Wanted to decrease use
Average 5 drinks/day	Craving
Binged 5 of past 30 days	Drinking impaired work/school/home functioning
Drank more than intended	Drinking impaired social functioning
Drank longer than planned	Drinking caused psychological problems

? Generalized Anxiety Disorder

Worried	Irritable
Anxious	Tense
Nervous	Anxiety impaired functioning
Physically restless	Anxiety occurred while drug-free
Difficulty sitting still	

? Panic Disorder

2 Panic attacks in past 7 days	Peak within minutes
Lifetime panic attacks	Unexpected

? Agoraphobia

Afraid of using public transportation	Fear impacted functioning
Fear of situation \geq 6 months	

? Social Anxiety Disorder

Nervous speaking to groups	Unreasonably afraid of social situations
Fear of being judged	Fear of situation \geq 6 months
Avoided social situations	Social anxiety impaired functioning

? Post-Traumatic Stress Disorder

Victim of traumatic event	Avoided people/things related to event
Experienced traumatic event	Amnesia for event
Intrusive thoughts of event	Low self-esteem
Nightmares about event	Felt guilty about event
Distressed by reminders of event	Blamed self for persistent feelings caused by event
Avoided thinking/talking about event	

⊘ Diagnoses with Absent or Minimal Symptoms

Major Depressive Disorder	Obsessive Compulsive Disorder	Thoughts
Past Major Depressive Episode	Possible Disorder Including Elevated	Other Substance Use Disorder
Persistent Depressive Disorder	Mood	
Cannabis Use Disorder	Possible Disorder Including Unusual	